

**CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS
CERTIFICATE OF COMPLIANCE**

LABORATORY NAME AND ADDRESS
SANFORD MEDICAL GENETICS LABORATORY
1321 WEST 22TH STREET
SIOUX FALLS, SD 57105

CLIA ID NUMBER
43D0658889

EFFECTIVE DATE
12/27/2017

LABORATORY DIRECTOR
ROBERT PYATT PHD FACMG DIRE

EXPIRATION DATE
12/26/2019

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



Karen W. Dyer, Acting Director
Division of Laboratory Services
Survey and Certification Group
Center for Clinical Standards and Quality

235 certs2_030618

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

<u>LAB CERTIFICATION (CODE)</u>	<u>EFFECTIVE DATE</u>
ROUTINE CHEMISTRY (310)	01/14/2015
CYTOGENETICS (900)	12/27/1993

<u>LAB CERTIFICATION (CODE)</u>	<u>EFFECTIVE DATE</u>
---------------------------------	-----------------------

FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT WWW.CMS.GOV/CLIA
OR CONTACT YOUR LOCAL STATE AGENCY. PLEASE SEE THE REVERSE FOR
YOUR STATE AGENCY'S ADDRESS AND PHONE NUMBER.
PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.

CLIA ID Number: 43D0658889
SANFORD MEDICAL GENETICS LABORATORY
1321 WEST 22TH STREET
SIOUX FALLS, SD 57105



STATE AGENCY ADDRESS AND PHONE NUMBER:

SD DEPT OF HEALTH
OFFICE OF HEALTH CARE FACILITIES LICENSURE & CER
615 E 4TH STREET
PIERRE, SD 57501-1700
(605)773-3694

LABORATORY MAILING ADDRESS: